

445 Kunststoff-Spritzgießmaschinen / plastic injection molding machine

Pos.	Designation	Start price EUR
1	1 plastic injection molding machine , make: Krauss Maffei, type: KM 150-520 C2 + LR 100, new in 2005, serial-no.: 61006519, clamping force 1.500 kN; mounting plate dimensions 780 x 790 mm; clearance between columns 500 x 500 mm; min./max. mold height min 300 mm; maximum opening width 900 mm; screw diameter 45 mm; injection volume 275 cm ³ , shot weight 250 g; injection pressure 1.878 bar; net weight with control cabinet 7,1 t; operating hours: 55.096; peripheral: robot LR 100	7.830,00
2	1 plastic injection molding machine , make: Engel, type: DUO 3550/650, new in 2006, serial-no.: 161399, clamping force 6500 kN; mounting plate dimensions 1465 x 1360; clearance between columns 1025 x 930 mm; min./max. mold height min 450/950 mm; maximum opening width 1800 mm; screw diameter 90 mm; injection volume 2480 cm ³ ; shot weight 2254 g; injection pressure 2300 bar; operating hours: 78000; peripheral: robot.	21.060,00
3	1 plastic injection molding machine , make: Engel, type: DUO 3550/650, new in 2006, serial-no.: 161394, clamping force 6500 kN; mounting plate dimensions 1465 x 1360; clearance between columns 1025 x 930 mm; min./max. mold height min 450/950 mm; maximum opening width 1800 mm; screw diameter 90 mm; injection volume 2480 cm ³ ; shot weight 2254 g; injection pressure 2300 bar; operating hours: 82000; peripheral: robot.	21.060,00
4	1 plastic injection molding machine , make: Krauss Maffei, type: 110-380 CX, new in 2015, serial-no.: 61023469, clamping force 1100 kN; mounting plate dimensions 745 x 770 mm; clearance between columns 470 x 470 mm; min./max. mold height min 300/600 mm; maximum opening width 900 mm; screw diameter 35 mm; injection volume 154 cm ³ ; shot weight 140 g; injection pressure 2429 bar; net weight with control cabinet 7,6t; operating hours: 0.	31.860,00
6	1 plastic injection molding machine , make: Demag, type: Extra 100 - 430, new in 2004, serial-no.: 7866-1010, clamping force 1000 kN; mounting plate dimensions 540 x 540 mm; clearance between columns 400 x 400 mm; min./max. mold height min 450/500 mm; maximum opening width 750 mm; screw diameter 40 mm; injection volume 231 cm ³ ; shot weight 208 g; injection pressure 2025 bar; net weight with control cabinet 4,8t; production cycles: 251315262.	5.130,00

445 Kunststoff-Spritzgießmaschinen / plastic injection molding machine

Pos.	Designation	Start price EUR
7	1 plastic injection molding machine , make: Krauss Maffei, type: KM 420 - 3500 C2, new in 2007, serial-no.: 61009133, clamping force 4200 kN; mounting plate dimensions 1270 x 1200 mm; clearance between columns 800 x 800 mm; min./max. mold height min 380 / - mm; maximum opening width 1400 mm; screw diameter 90 mm; injection volume 1953 cm ³ ; shot weight 1777 g; injection pressure 1742 bar; net weight with control cabinet 23,2t; operating hours: 77105.	26.460,00
8	1 plastic injection molding machine , make: Krauss Maffei, type: KM 650 - 5700 CM, new in 2002, serial-no.: 654319, clamping force 6500 kN; mounting plate dimensions 1530 x 1450 mm; clearance between columns 1000 x 930 mm; min./max. mold height min 400 / - mm; maximum opening width 1550 mm; screw diameter 80 mm; injection volume 1543 cm ³ ; shot weight 1404 g; injection pressure 2205 bar; net weight with control cabinet 45,7t; operating hours: 59156.	18.900,00
9	1 plastic injection molding machine , make: Krauss Maffei, type: KM 110 - 520 C1, new in 2004, serial-no.: 61005527, clamping force 1100 kN; mounting plate dimensions 745 x 770 mm; clearance between columns 470 x 470 mm; min./max. mold height min 400 / - mm; maximum opening width 1000 mm; screw diameter 45 mm; injection volume 275 cm ³ ; shot weight 250 g; injection pressure 1878 bar; net weight with control cabinet 6,0t; operating hours: 90648.	5.640,00
10	1 plastic injection molding machine , make: Krauss Maffei, type: KM 650 - 3500 C1, new in 2003, serial-no.: 61004358, clamping force 6500 kN; mounting plate dimensions 1510 x 1370 mm; clearance between columns 1000 x 930 mm; min./max. mold height min 600 / - mm; maximum opening width 1750 mm; screw diameter 90 mm; injection volume 1953 cm ³ ; shot weight 1777 g; injection pressure 1742 bar; net weight with control cabinet 35t; operating hours: 93794.	21.060,00
12	1 plastic injection molding machine , make: Arburg, type: 520c 2000-675, new in 2002, serial-no.: 188589, clamping force 2000 kN; mounting plate dimensions 715 x 715 mm; clearance between columns 520 mm; min./max. mold height min 250 / 500 mm; maximum opening width 650 mm; screw diameter 55 mm; shot weight 310 g; injection pressure 1720 bar; net weight with control cabinet 6,63t; operating hours: 74917.	4.806,00

445 Kunststoff-Spritzgießmaschinen / plastic injection molding machine

Pos.	Designation	Start price EUR
13	<p>1 plastic injection molding machine, make: Arburg, type: 375v 500 100 Vertical, new in 2012, serial-no.: 221859, clamping force 500 kN; mounting plate dimensions 504 x 424 mm; clearance between columns: tie-bar-less; min./max. mold height min 200 mm; maximum opening width 450-550 mm; screw diameter 20 mm; injection volume 31 cm³; shot weight 29 g; injection pressure 2500 bar; net weight with control cabinet 3,05t; operating hours: 18000.</p>	27.000,00
14	<p>1 plastic injection molding machine, make: Battenfeld, type: TM 5500/2800, new in 2004, serial-no.: 90703, clamping force 5500 kN; mounting plate dimensions 1280 x 1280 mm; clearance between columns 900 x 900 mm; min./max. mold height min 450/800 mm; maximum opening width 900 mm; screw diameter 85 mm; injection volume 2128 cm³; shot weight 1936 g; injection pressure 1354 bar; net weight with control cabinet 33,5t; operating hours: 64800.</p>	15.660,00
15	<p>1 plastic injection molding machine, make: Krauss Maffei, type: KM 180 - 750 AX, new in 2010, serial-no.: 61014052, clamping force 5500 kN; mounting plate dimensions 1280 x 1280 mm; clearance between columns 900 x 900 mm; screw diameter 85 mm; injection volume 2128 cm³; shot weight 1936 g; injection pressure 1354 bar; net weight with control cabinet 33,5t; operating hours: 42361.</p>	23.760,00
16	<p>1 plastic injection molding machine, make: Engel, type: ES 1350/250 HL, new in 2002, serial-no.: 48245, clamping force 2500kN; mounting plate dimensions 1050 x 900 mm; min./max. mold height min 350-1200 mm; maximum opening width 850 mm; screw diameter 60 mm; injection volume 735 cm³; shot weight 662g; injection pressure 1830 bar; net weight with control cabinet 20t; operating hours: 64649.</p>	9.450,00
17	<p>1 plastic injection molding machine, make: Toshiba, type: IS 650 GTW, new in 2007, serial-no.: 780204, clamping force 6500 kN; mounting plate dimensions 1530 x 1530 mm; clearance between columns 1080 x 1080 mm; min./max. mold height min 450/900 mm; maximum opening width 1800 mm; screw diameter 95 mm; injection volume 3150 cm³; shot weight 2900 g; net weight with control cabinet 30t; operating hours: 72000.</p>	31.860,00

445 Kunststoff-Spritzgießmaschinen / plastic injection molding machine

Pos.	Designation	Start price EUR
18	1 plastic injection molding machine , make: Toshiba, type: IS 450 GSW, new in 2007, serial-no.: 713804, clamping force 4410 kN; mounting plate dimensions 1230 x 1230 mm; clearance between columns 870 x 870 mm; min./max. mold height min 450/900 mm; maximum opening width 1800 mm; screw diameter 70 mm; injection volume 1480 cm ³ ; shot weight 1360 g; injection pressure 1780 bar; net weight with control cabinet 22t; operating hours: 69000.	25.000,00
19	1 plastic injection molding machine , make: Netstal, type: SynEnergy 1500-60, new in 2003, serial-no.: 2002024001, clamping force 1600 kN; mounting plate dimensions 740 x 750 mm; clearance between columns 460 x 460 mm; min./max. mold height min 250/550 mm; maximum opening width 700 mm; screw diameter 50 mm; injection volume 353 cm ³ ; shot weight 339 g; injection pressure 1890 bar; net weight with control cabinet 11,2t; OPERATING HOURS: 86782.	6.966,00
20	1 plastic injection molding machine , make: Engel, type: Victory 500/150Pro-Tech, new in 2005, serial-no.: 158320, clamping force 1500 kN; mounting plate dimensions 750 x 520 mm; clearance between columns: TIE-BAR-LESS; min./max. mold height min 300/900 mm; maximum opening width 600 mm; screw diameter 40 mm; injection volume 251 cm ³ ; shot weight 231 g; injection pressure 1302 bar; net weight with control cabinet 9,6t; operating hours: 53866.	7.290,00
21	1 plastic injection molding machine , make: Borche, type: BS 150-III, new in 2015, serial-no.: 1203N121, clamping force 1500 kN; mounting plate dimensions 670 x 670 mm; clearance between columns 460 X 460 mm; min./max. mold height min 300/900 mm; screw diameter 45 mm; injection volume 341 cm ³ ; shot weight 321 g; injection pressure 1850 bar; net weight with control cabinet 4,3t; operating hours 18724.	12.420,00
22	1 plastic injection molding machine , make: Borche, type: BS 150-III, new in 2015, serial-no.: 1202M102, clamping force 1500 kN; mounting plate dimensions 670 x 670 mm; clearance between columns 460 X 460 mm; min./max. mold height min 300/900 mm; screw diameter 45 mm; injection volume 341 cm ³ ; shot weight 321 g; injection pressure 1850 bar; net weight with control cabinet 4,3t; operating hours: 26030.	12.420,00

445 Kunststoff-Spritzgießmaschinen / plastic injection molding machine

Pos.	Designation	Start price EUR
23	<p>1 plastic injection molding machine, make: Engel, type: Victory 330/150 TECH PRO, new in 2003, serial-no.: 49833, clamping force 1500 kN; mounting plate dimensions 520 x 750 mm; clearance between columns: TIE-BAR-LESS; min./max. mold height min 300 mm; min./max. mold height min 300 mm; maximum opening width 600 mm; screw diameter 30 mm; injection volume 113 cm³; shot weight 103 g; injection pressure 2180 bar; net weight with control cabinet 9,1t; operating hours: 59727.</p>	11.500,00
24	<p>1 plastic injection molding machine, make: Engel, type: ES 3550/550 K, new in 1998, serial-no.: 34166, clamping force 5500 kN; mounting plate dimensions 1345 x 1280 mm; clearance between columns 915 x 860 mm; min./max. mold height min 310 x 800 mm; min./max. mold height min 310/800 mm; maximum opening width 850 mm; screw diameter 80 mm; injection volume 1960 cm³; shot weight 1765 g; injection pressure 1730 bar; net weight with control cabinet 10t; operating hours: 78964.</p>	8.100,00
25	<p>1 plastic injection molding machine, make: Stork, type: SX-N 12000-8600, new in 2001, serial-no.: X82260, clamping force 12000 kN; mounting plate dimensions 1146 x 1696 mm; clearance between columns 1200 x 1200 mm; min./max. mold height min 500- 1695 mm; maximum opening width 2000 mm; screw diameter 100 mm; injection volume 4800 cm³; shot weight 4363 g; operating hours: 61133.</p>	29.700,00
26	<p>1 plastic injection molding machine, make: Demag, type: Concept 300-630/2300, new in 2006, serial-no.: 87 880 078, clamping force 3000 kN; mounting plate dimensions 950 x 950 mm; clearance between columns 630 x 630 mm; screw diameter 80 mm; injection volume 1583 cm³; shot weight 1430 g; injection pressure 1437 bar; net weight with control cabinet 14,6t; operating hours: 49875.</p>	13.500,00
27	<p>1 plastic injection molding machine, make: Demag, type: Ergotech 160 430 Extra, new in 2005, serial-no.: 7896-1073, clamping force 1600 kN; mounting plate dimensions 770 x 770 mm; clearance between columns 520 x 520 mm; min./max. mold height min 275/685 mm; maximum opening width 500 mm; screw diameter 40 mm; injection volume 231 cm³; shot weight 260 g; injection pressure 1600 bar; net weight with control cabinet 6,5t; operating hours: 78985.</p>	10.692,00

445 Kunststoff-Spritzgießmaschinen / plastic injection molding machine

Pos.	Designation	Start price EUR
28	1 plastic injection molding machine , make: Battenfeld, type: HM 500/5100, new in 2006, serial-no.: 130043-100, clamping force 5000 kN; mounting plate dimensions 1470 x 1260 mm; clearance between columns 900 x 720 mm; min./max. mold height min 450 mm; maximum opening width 1600 mm; screw diameter 85 mm; injection volume 2412 cm ³ ; shot weight 2195 g; injection pressure 2110 bar; net weight with control cabinet 26t; operating hours: 57708.	29.160,00
29	1 plastic injection molding machine , make: Ferromatik, type: Milacron K-TEC 275 S, new in 2007, serial-no.: 555609, clamping force 2750 kN; mounting plate dimensions 970 x 970 mm; clearance between columns 630 x 630 mm; min./max mold height min 345 mm; screw diameter 60 mm; injection volume 763 cm ³ ; shot weight 694 g; injection pressure 2144 bar; net weight with control cabinet 15,5t; operating hours: 59878.	10.692,00
30	1 plastic injection molding machine , make: Arburg, type: 520c 2000-675, new in 2002, serial-no.: 174001, clamping force 2000 kN; mounting plate dimensions 685 x 685 mm; clearance between columns 520 x 520 mm; min./max. mold height min 250 mm; screw diameter 45 mm; injection volume 139 cm ³ ; shot weight 240 g; injection pressure 2500 bar; net weight with control cabinet 6,63t; operating hours: 73435.	6.426,00
31	1 plastic injection molding machine , make: Engel, type: Victory 1050h/500w/80v 260 combi 3k, new in 2010, serial-no.: 174118, clamping force 2600 kN; clearance between columns: TIE-BAR-LESS; screw diameter 60 mm; injection volume 608 cm ³ ; shot weight 669 g; injection pressure 1725 bar; net weight with control cabinet 22,2t; operating hours: 34567.	21.060,00
32	1 plastic injection molding machine , make: Demag, type: Ergotech System 3300-1450/310 2K, new in 2002, serial-no.: 8790559, clamping force 3300 kN; mounting plate dimensions 1040 x 950 mm; clearance between columns 710 x 630 mm; min./max. mold height min 330/710 mm; maximum opening width 1385 mm; screw diameter 70 mm; injection volume 1039 cm ³ ; shot weight 940 g; injection pressure 1400 bar; net weight with control cabinet 15,5t; operating hours: 77209.	6.966,00

445 Kunststoff-Spritzgießmaschinen / plastic injection molding machine

Pos.	Designation	Start price EUR
33	<p>1 plastic injection molding machine (Zuschlag unter Vorbehalt), make: Battenfeld, type: TM4500/2800, new in 2001, serial-no.: 57213, clamping force 4500 kN; mounting plate dimensions 1155 x 1195 mm; clearance between columns 800 x 800 mm; min./max. mold height min 425/770 mm; maximum opening width 1530 mm; screw diameter 75 mm; injection volume 1657 cm³; shot weight 1506 g; injection pressure 1739 bar; net weight with control cabinet 21t; operating hours 78072.</p>	7.506,00
34	<p>1 plastic injection molding machine, make: Battenfeld, type: TM 3500 / 1900, new in 2004, serial-no.: 90118, clamping force 3500 kN; mounting plate dimensions 1010 x 1010 mm; clearance between columns 710 x 710 mm; min./max. mold height min 300/710 mm; maximum opening width 1380 mm; screw diameter 65 mm; injection volume 1078 cm³; shot weight 981 g; injection pressure 1777 bar; net weight with control cabinet 15,2t; operating hours 59220.</p>	10.206,00
35	<p>1 plastic injection molding machine, make: Arburg, type: 370C 800-350, new in 2005, serial-no.: 198600, clamping force 800 kN; mounting plate dimensions 570 x 570 mm; clearance between columns 370 x 370 mm; min./max. mold height min 250/500 mm; maximum opening width 750 mm; screw diameter 45 mm; injection volume 230 cm³; shot weight 210 g; injection pressure 1670 bar; net weight with control cabinet 3,18t; operating hours: 64321.</p>	7.290,00
36	<p>1 plastic injection molding machine, make: Krauss Maffei, type: KM 450-3500 C3, new in 2008, serial-no.: 61012560, clamping force 4500 kN; mounting plate dimensions 1270 x 1200 mm; clearance between columns 900 x 800 mm; min./max. mold height min 480 mm; maximum opening width 1650 mm; screw diameter 90 mm; injection volume 1953 cm³; shot weight 1777 g; injection pressure 1742 bar; net weight with control cabinet 26,3t; operating hours: 67976.</p>	18.900,00
37	<p>1 plastic injection molding machine, make: Battenfeld, type: TM4500/2800, new in 57742, serial-no.: 2001, clamping force 4500 kN, mounting plate dimensions 1.155 x 1.195 mm, clearance between columns 800 x 800 mm, min./max. mold height min 425/770 mm, maximum opening width 1.530 mm, screw diameter 75 mm, injection volume 1.657 cm³, shot weight 1.506 g, injection pressure 1.739 bar, net weight with control cabinet 21 t, operating hours 86.068</p>	7.506,00

445 Kunststoff-Spritzgießmaschinen / plastic injection molding machine

Pos.	Designation	Start price EUR
38	1 plastic injection molding machine , make: Battenfeld, type: TM4500/2800, new in 57741, serial-no.: 2001, clamping force 4500 kN, mounting plate dimensions 1.155 x 1.195 mm, clearance between columns 800 x 800 mm, min./max. mold height min 425/770 mm, maximum opening width 1.530 mm, screw diameter 75 mm, injection volume 1.657 cm ³ , shot weight 1.506 g, injection pressure 1.739 bar, net weight with control cabinet 21 t, operating hours 76.139	7.506,00